Containers: What does it mean?

by Vincent Batts Duke Docker Day Sept. 11, 2014



- History of the Pieces
- Who's use-case is this for?
- What's involved?
- What's next?



• Resource control groups (cgroups) ~2.6.24



- Resource control groups (cgroups) ~2.6.24
- Namespacing: mount 2.4.19; UTC and IPC 2.6.19; PID and network 2.6.24; User 3.8



- Resource control groups (cgroups) ~2.6.24
- Namespacing: mount 2.4.19; UTC and IPC 2.6.19; PID and network 2.6.24; User 3.8
- Lxc ~2008, with a 1.0 in 2014



- Resource control groups (cgroups) ~2.6.24
- Namespacing: mount 2.4.19; UTC and IPC 2.6.19; PID and network 2.6.24; User 3.8
- Lxc ~2008, with a 1.0 in 2014
- Docker ~2013, with a 1.0 in 2014



- History of the Pieces
- Who's use-case is this for?
- What's involved?
- What's next?



- Operations
 - Better delegation of ownership
 - More atomic update life-cycle



- Operations
 - Better delegation of ownership
 - More atomic update life-cycle
- Development
 - Rapid iteration
 - Predictable and sharable environments



- Risk planning
 - Immutable images for review
 - Not the single old server in the corner
 - Ready to scale for peak jobs



- Risk planning
 - Immutable images for review
 - Not the single old server in the corner
 - Ready to scale for peak jobs
- Bunch of folks
 - Reproducible
 - Consistent



- History of the Pieces
- Who's use-case is this for?
- What's involved?
- What's next?



What's involved?

Focus on application isolation, rather than host isolation



What's involved?

- Focus on application isolation, rather than host isolation
- Reinventing some wheels, modifying others



- History of the Pieces
- Who's use-case is this for?
- What's involved?
- What's next?



What's next?

Provenance



What's next?

- Provenance
- Content addressability



Questions?

